


		Total number of discharges	Charges, \$ (mean)	In-hospital deaths	Total number of discharges	Charges, \$ (mean)	In- hospital deaths
All discharges		332,159 (100.00%)	59,851	814 (0.25%)	18,786	2,024	75 (0.02%)
,	Medicare	88,240 (26.57%)	65,064	518 (0.59%)	5,137	2,592	59 (0.06%)
	Medicaid	20,230 (6.09%)	67,176	65 (0.32%)	1,444	2,711	18 (0.08%)
	Private insurance	178,121 (53.63%)	56,230	192 (0.11%)	11,406	2,001	34 (0.02%)
	Uninsured	5,558 (1.67%)	63,087	*	793	3,081	*
	Other	37,529 (11.30%)	60,779	*	2,820	2,513	*
	Missing	*	52,825	*	*	5,032	*
-	Northeast	55,337 (16.66%)	50,819	134 (0.24%)	7,168	2,861	29 (0.06%)
	Midwest	83,192 (25.05%)	54,251	200 (0.24%)	10,913	3,141	38 (0.04%)
	South	133,525 (40.20%)	55,647	382 (0.29%)	11,569	2,649	50 (0.03%)
	West	60,104 (18.10%)	86,322	98 (0.16%)	6,971	7,017	29 (0.04%)


Weighted national estimates from HCUP Nationwide Inpatient Sample (NIS), 2005, Agency for Healthcare Research and Quality (AHRQ), based on data collected by individual States and provided to AHRQ by the States. Total number of weighted discharges in the U.S. based on HCUP NIS = 39,163,834. Statistics based on estimates with a relative standard error (standard error / weighted estimate) greater than 0.30 or with standard error = 0 in the nationwide statistics (NIS and KID) are not reliable. These statistics are suppressed and are designated with an asterisk (*). The estimates of standard errors in HCUPnet were calculated using SUDAAN software. These estimates may differ slightly if other software packages are used to calculate variances.

See the ICD codes that comprise CCS categories.

If you want to test whether apparent differences are significant, use the Z-Test Calculator. A p-value of less than 0.05 is generally considered statistically significant.

Advancing Excellence in Health Care





10.913

11,569

6,971

Weighted national estimates from HCUP Nationwide Inpatient Sample (NIS), 2005, Agency for Healthcare Research and Quality (AHRQ), based on data collected by individual States and provided to AHRQ by the States. Total number of weighted discharges in the U.S. based on HCUP NIS = 39,163,834. Statistics based on stimates with a relative standard error (standard error / weighted estimate) greater than 0.30 or with standard error = 0 in the nationwide statistics (NIS and KID) are not reliable. These statistics are suppressed and are designated with an asterisk (*). The estimates of standard errors in HCUPnet were calculated using SUDAAN software. These estimates may differ slightly if other

54,251 200 (0.24%)

55,647 382 (0.29%)

86,322 98 (0.16%)

See the ICD codes that comprise CCS categories.

software packages are used to calculate variances.

Midwest South

West

83,192 (25,05%)

133,525 (40.20%)


60,104 (18.10%)


You can generate a printer-friendly version of your output using HCUPnet . . .


3,141 38 (0.04%)


2,649 50 (0.03%)

7,017 29 (0.04%)











Detailed statistics for 2004

HCUPnet also provides access to national-level information on quality of care, based on the AHRQ Quality Indicators.

